## Marina Fuel Storage and Piping Inspection Form

State Water Resources Control Board, Clean Water Programs

Facility Information			
Facility Name			
Facility Physical Address			
County Facility Telephone			
Facility Owner			
Owner Mailing Address			
Owner Telephone			
Facility I.D. #			
Inspector Information			
Agency Conducting Inspection			
Inspector's Name Phone Number			
Date of Inspection			
General Site Information			
Near what type of water is the tank located?			
□ Fresh Water □ Saline Water □ Brackish Water			
On which water-body is this marina located?			
Highest anticipated water level fluctuation: feet			
Has the facility registered its <i>ASTs</i> with the SWRCB? □ Yes □ No □ N/A			
SPCC Plan available for review on site? □Yes □ No □ N/A			
GPS Lat/Long (if available) Latitude: Longitude:			
Is anti-siphon device at highest point of product piping? □ Yes □ No □ No anti-siphon device			
Is under-dispenser containment present? □ Yes □ No			
Type of under-dispenser containment monitoring:			
Frequency:			
Is there an emergency shutoff (ESO) switch?			
Number of shutoff valves (not ESOs) from the tank to the dispenser:			
Does the dispensing nozzle have a hold-open latch? □ Yes □ No			

Please return inspection forms, as you complete them, to Laura Chaddock, Division of Clean Water Programs, State Water Resources Control Board, P.O. Box 944212, Sacramento, CA 94244-2120. If you have questions please call Laura Chaddock at (916) 341-5870 or Julie Berrey at (916) 341-5871. Please return completed inspection forms for all MFFs by December 31, 2001.

SWRCB 10/23/00

		Tank # of		
TANK				
Type of Tank:	Tank Construction:	Product Type:		
□ Land-based AST	□ SW (single-walled)	□ Diesel		
□ AST on dock	□ DW (double-walled)	□ Gasoline		
□ Land-based UST	☐ SW with other secondary containment	□ Premix (Oil/Gas Mixture)		
	□ Other	□ Other		
Tank Volume:	Gallons			
	Gallons			
Tank Leak Detection Method:				
Is this tank also used for on-shore fueling? □ Yes □ No				
Is this tank protected against o	corrosion? □ Yes □ No □Unkno			
Does the tank meet all applicable AST or UST construction and design requirements?				
□ Yes □ No □ Ur	ıknown			
How is product distributed from the tank to the dispenser?				
□ Suction □ Pressuriz	zed □ Gravity			
Comments				

SWRCB 10/23/00

## Starting at the tank and moving towards the dispenser describe each section of piping on a separate page

	Tank # of			
PIPING				
PIPING SECTION # of				
Describe the placement of the piping:				
<ul><li>□ Underground</li><li>□ Aboveground</li><li>□ Floa</li><li>□ Suspended under dock</li><li>□ Above/along side the</li></ul>	ting □ Underwater e dock □ Other			
How does the piping adapt to water level fluctuations?				
☐ Excess flexible piping that is not on hose reel☐ Connected/disconnected manually	☐ Hose Reel ☐ Unnecessary ☐ Other			
Estimated length of this section of piping:				
□ 0 - 50 feet □ 50 - 150 feet □ 150 - 250 feet □	250 - 350 feet □ 350 - 500 feet □ >500 feet			
Piping construction: □ SW □ DW (see glossary	of terms for specific definition of DW)			
Primary piping:				
□ Rubber Hose □ Metallic □ Non-Metallic Rigid	□ Non-Metallic Flexible □ Other			
Is the primary piping protected against corrosion? □ Yes	□ No □Unknown			
If so, how?				
Secondary piping:				
☐ Rubber Hose ☐ Metallic ☐ Non-Metallic Rigid	□ Non-Metallic Flexible □ Other			
Is the secondary piping protected against corrosion?	□ Yes □ No □ N/A □Unknown			
If so, how?				
Type of monitoring:	No Monitoring			
□ Electronic <b>Frequency</b>	□ Mechanical Frequency			
□ Line Tightness Test Frequency	□ Visual <b>Frequency</b>			
Location of piping transition point:				
☐ Over water ☐ Over land ☐ Underwater				
Is the piping transition secondarily contained?				
□ Yes □ No If so, how?				
Comments				

SWRCB 10/23/00